




Rancilio End User Price List 2025




index


Key features	2
Traditional Espresso Machines	
Classe 11 USB Xcelsius / USB Xcelsius TALL	6
Classe 11 USB / USB TALL	8
Classe 20 ASB / ASB TALL	10
Classe 20 SB / SB TALL	12
Classe 9 USB / USB TALL	14
Classe 9 S	16
Classe 9 RE	18
Classe 7 USB / USB TALL	20
Classe 7 S	22
Classe 5 USB / USB TALL	24
Classe 5 ECO USB / USB TALL 	25
Classe 5 ECO S / S TALL 	26
Classe 5 S / S TALL	28
Classe 5 LEVA	30
Professional Grinders	
BOND	32
MD 80 AT / 40 ST	33
Kryo ELITE 65 OD / EVO 65 OD	34
Kryo 65 AT / 65 ST	35
Home Line	
Silvia Pro X	36
Silvia	38
NEW Stile	40
NEW Stile SD	41
DP	42
Accessories	44
General conditions of sales	47
Contacts	48


Key features


 **TOUCHSCREEN INTERFACE**
Allows quick and easy access to all machine settings via the digital touchscreen.


 **DIGITAL DISPLAY**
Digital display to control all coffee extraction parameters in real time.


 **XCELSIUS TEMPERATURE PROFILING**
Xcelsius Temperature Profiling technology allows baristas to bring out the best in the organoleptic characteristics of any coffee, thanks to the dynamic regulation of the water temperature during the extraction phase.
By increasing or decreasing the temperature by up to 5°C (9°F), baristas can adjust the specific characteristics of the espresso in order to improve the quality of the final product in the cup.
Each group head is equipped with a 150 ml micro-boiler with a 250W internal heating element which, in combination with a special hydraulic system, allows for the instantaneous extraction temperature to be adjusted.
Rancilio Patented Technology


 **ADVANCED STEADY BREW**
Each independent group is equipped with a micro-boiler and a heating element to ensure that both the water and the group are kept at a constant temperature. Baristas can easily set different temperatures for each group via the touchscreen.


 **STEADY BREW**
By keeping the water temperature stable during extraction, Steady Brew guarantees excellent thermal stability, reliability and maximum repeatability, both during busy periods and in low usage conditions.
Rancilio Patented Technology


 **T-SWITCH**
Thanks to the 4-position T-Switch, a different extraction temperature can be set for each group, even for single boiler coffee machines. With the boiler adjusted to 1.0 bar, a temperature of approx. 88°C, 90°C, 93°C or 97°C can be set on each group and the right extraction temperature for each type of coffee is always available. The T-Switch can only be adjusted by specialised technicians during installation.
Rancilio Patented Technology


 **MULTI-BOILER SYSTEM**
Each independent group is equipped with a micro-boiler and a heating element. As well as keeping the temperatures of both the water and the group stable, the multi-boiler system improves the thermal performance of the machine, even when simultaneously brewing espresso and steaming milk, and allows different temperatures to be set for each group head.


 **DUAL BOILER TECHNOLOGY**
The dual boiler technology optimises water temperature management, both for brewing espresso and for dispensing steam.


 **2 PID**
Two internal PID controllers, located in the coffee boiler and the steam boiler, ensure extremely precise control over the coffee and steam boiler temperatures.


 **SOFT INFUSION**
By activating the soft infusion function, water at reduced pressure from the coffee boiler is gently distributed to the coffee panel. This function, with adjustable duration from 0 to 6 seconds, allows the coffee panel to be prepared in the best possible way and promotes a smooth and efficient extraction, i.e. capable of preserving and enhancing the sensory characteristics of each type of blend or single-origin coffee.


 **X-TEA**
Baristas can programme water dosages and temperature levels via the interface.
Rancilio Patented Technology


 **HOT WATER ECONOMIZER**
During installation, the technician can mechanically adjust the mix of hot water from the boiler and cold water from the mains.


 **COOL TOUCH STEAM WAND**
Ergonomic cool touch steam wands to work in total safety.


 **C-LEVER**
The C-lever steam valve is operated by rotating the knob just 25°. Turning it upwards, the valve stays open. Turning it downwards, the valve opens and automatically closes when released.


 **ISTEAM ISTEAM PRO ISTEAM DI**
The iSteam automatic steam wand features two buttons, both of which can be programmed with the following functions "Cappuccino", to heat and froth milk, or "Latte", to heat only. iSteam Pro (Classe 20 only) ensures superior steam performance for heating and frothing milk automatically with great accuracy. iSteam DI (Classe 7 and Classe 5 only) is controlled by a display located inside the machine.
Rancilio Patented Technology


 **CUP WARMER**
The cup warmer keeps all espresso and cappuccino cups at the right temperature at all times.


 **ERGONOMIC PORTAFILTER**
The chrome-plated brass portafilter, with an ergonomic handle designed to balance the weight, holds coffee filters up to a capacity of 21 g, ensures stability when pressing, and eases wrist movements for the barista. The portafilter handles may be personalized.


 **LED LIGHTS**
White LED lights positioned under the group heads provide excellent illumination for the work area.


 **RGB LIGHTS**
The aesthetic RGB lights can be customised with different intensities and colours (Classe 20 only). The functional RGB lights on the group covers (Classe 11, Classe 7 USB) and above the control panel (Classe 9) help the operator to monitor the various states of the machine at a glance.


 **ABM**
ABM is a specific software developed to improve the performance of the machine in conditions of intensive use. When simultaneously brewing espresso, dispensing water and steaming milk, ABM switches on the heating element to pre-empt any drops in pressure under the preset value, thus preventing drops in temperature to ensure constant heating levels. Control of the boiler pressure is optimised in the case of the intensive and simultaneous use of multiple group heads. In these cases, in order to prevent the pressure from dropping below a minimum value of 0.5 bar, ABM can stop water from being dispensed until the boiler pressure returns to a suitable level. ABM also allows for control of the machine's power consumption, reducing it to 2/3 of the normal value where power availability is low. For espresso machines equipped with the iSteam wand, ABM also improves steam delivery performance by increasing the power of the heating element in the boiler, allowing it to produce more heat and reduce drops in pressure during milk frothing.
Rancilio Patented Technology


 **BM**
BM controls the boiler pressure and, in case of a drop, automatically enables the heating element to return the pressure to the preset level. BM can also stop water from being dispensed until the boiler pressure has returned to a suitable level.


 **INSULATED BOILER**
The insulated boiler reduces energy consumption and increases thermal stability.


 **ECO MODE**
By managing the different water levels in the boiler, the water-to-steam ratio can be optimised to achieve maximum energy savings. In low usage conditions, the quantity of water in the boiler is reduced, thus increasing the proportion of steam. Working with less water in the boiler allows for lower energy consumption in order to bring it to the ideal temperature. And, at the same time, with more steam and less moisture in the boiler, the performance of the steam wands also improves.


 **AUTO ON-OFF**
It is possible to set the automatic on and off times for the machine (Classe 11, Classe 20) or set the automatic on time and the power-on hours (Classe 9, Classe 7) for each day of the week.


 **POWER-ON TIMER**
Programmable timer to automatically switch on the machine after a preset period of time.


 **EASY CLEAN**
Easy Clean manages the cleaning process of the group heads, so it can perform it all automatically. The barista need only start the cycle, and the machine will automatically carry out the washing and rinsing operations. For all models (except the Classe 5 units), Easy Clean also allows you to schedule a daily alarm (3 alarms for the Classe 11) to warn the user of the need for a cleaning cycle, set an optional block on the machine in the event of a cleaning cycle, and view the history of all cleaning cycles performed.


 **GRID SYSTEM**
The removable cup tray grids are made of a scratch-resistant polymer, which makes them conveniently dishwasher-safe. They are designed to allow coffee residues to flow directly into the drain tray, keeping the working area clean.

 **ADVANCED DIAGNOSTIC**
The "Technical" menu includes a "Service" function allowing users to quickly check that all the circuits and various components (pumps, solenoid valves, heating elements, sensors, flowmeters) are in good working order from the touchscreen.

 **GAS HEATING**
The gas heating system allows for the espresso machine to be used even when there is no electricity.

 **PODS & CAPS**
Thanks to the Pods&Caps kit, all Rancilio espresso machines can be used with coffee pods and capsules (according to available systems).

 **SNAP & SHARE**
Snap&Share is a QR code reader app that allows users to share the technical settings of their espresso machine, keep track of maintenance operations, monitor consumption, and register new products to activate the warranty.

 **CONNECT**
Connect is a powerful IoT solution developed by Rancilio Group, to gather and easily analyze all the value relevant data generated by a single coffee machine or an entire fleet. Via a customizable dashboard with widgets, tables and graphs, Connect gives you a ready to use digital toolkit, to monitor key performance parameters in real time and empower your whole coffee business.

	Classe 11 USB Xcel / Xcel TALL	Classe 11 USB / USB TALL	Classe 20 ASB / ASB TALL	Classe 20 SB / SB TALL	Classe 9 USB / USB TALL	Classe 9 S	Classe 9 RE	Classe 7 USB / USB TALL	Classe 7 S	Classe 5 USB / USB TALL	Classe 5 ECO USB / USB TALL	Classe 5 ECO S / S TALL	Classe 5 S / S TALL	Classe 5 LEVA	Silvia Pro X	Silvia
TOUCHSCREEN INTERFACE	●	●	●	●											●	
DIGITAL DISPLAY	●		●		●		●								●	
XCELSIUS TEMPERATURE PROFILING	●															
ADVANCED STEADY BREW			●													
STEADY BREW		●		●	●	●	●	●	●	● ⁽¹⁾	●	●	● ⁽³⁾			
T-SWITCH		●		●	●	●	●	●	●							
MULTI-BOILER SYSTEM	●		●													
DUAL BOILER TECHNOLOGY															●	
2 PID															●	
SOFT INFUSION															●	
X-TEA	●	●	●	●	●											
HOT WATER ECONOMIZER							●	●								
COOL TOUCH STEAM WAND	●	●	●	●	●	●	●	●	●							
C-LEVER	●	●	●	●	●	●	●	●	●	● ⁽²⁾	●	●	● ⁽²⁾	●		
ISTEAM	●	●			●		●									
ISTEAM PRO			●	●												
ISTEAM DI							● ⁽⁷⁾	●	●	●	●	●	● ⁽⁴⁾			
CUP WARMER	●	●	●	●	●	●	●	●	●	● ⁽¹⁾	●	●	● ⁽⁵⁾	●		
ERGONOMIC PORTAFILTER	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LED LIGHTS	●	●	●	●	●	●	●	●	●	●	●	●	●			
RGB LIGHTS	●	●	●	●	●		●									
ABM	●	●	●	●	●											
BM							●									
INSULATED BOILER	●	●	●	●	●	●	●	●		●	●					
ECO MODE	●	●														
AUTO ON-OFF	●	●	●	●	●		●									
POWER-ON TIMER															●	
EASY CLEAN	●	●	●	●	●	●	●	●	●	●	●					
GRID SYSTEM	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
ADVANCED DIAGNOSTIC			●	●												
GAS HEATING							●					● ⁽⁶⁾	●			
PODS & CAPS	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●
SNAP & SHARE	●	●	●	●												
CONNECT	●	●	●	●	●		●	●	●	●						

	Classe 11 USB Xcel / Xcel TALL	Classe 11 USB / USB TALL	Classe 20 ASB / ASB TALL	Classe 20 SB / SB TALL	Classe 9 USB / USB TALL	Classe 9 S	Classe 9 RE	Classe 7 USB / USB TALL	Classe 7 S	Classe 5 USB / USB TALL	Classe 5 ECO USB / USB TALL	Classe 5 ECO S / S TALL	Classe 5 S / S TALL	Classe 5 LEVA	Silvia Pro X	Silvia
Automatic Multi-Boiler	●		●													
Automatic Single Boiler		●		●	●		●			●	●	●				
Semi-Automatic Single Boiler						●		●					●			●
Manual with Lever Single Boiler							●							●		
Semi-Automatic Dual Boiler															●	

- Standard
- Optional

(1) no 1GR / TALL 1GR – (2) no 1GR – (3) no 1GR / 1GR TANK / TALL 1GR – (4) no 1GR TANK – (5) no 1GR / 1GR TANK / TALL 1 GR / TALL 1GR TANK – (6) no 1GR / 2GR COMPACT / TALL – (7) Only as a second iSteam in the double configuration

Classe 11 USB Xcelsius / USB Xcelsius TALL

Automatic | Multi-Boiler

Classe 11 USB Xcelsius / Classe 11 USB Xcelsius TALL



Technical Specifications

2 GROUPS / 2 GROUPS TALL	3 GROUPS / 3 GROUPS TALL	4 GROUPS / 4 GROUPS TALL
W X D X H 800 x 600 x 540 mm 31.5 x 23.6 x 21.2 in	W X D X H 1040 x 600 x 540 mm 40.9 x 23.6 x 21.2 in	W X D X H 1280 x 600 x 540 mm 50.4 x 23.6 x 21.2 in
WEIGHT 85 kg / 187.4 lb	WEIGHT 100 kg / 220.5 lb	WEIGHT 115 kg / 253.5 lb
BOILER 11 l / 2.4 gal UK / 2.9 gal US	BOILER 16 l / 3.5 gal UK / 4.2 gal US	BOILER 22 l / 4.8 gal UK / 5.8 gal US
MICRO-BOILER 2x 150 ml (250 W)	MICRO-BOILER 3x 150 ml (250 W)	MICRO-BOILER 4x 150 ml (250 W)
POWER SUPPLY 220-240 V~ / 380-415V3N~, 50-60 Hz 4950-6650 W	POWER SUPPLY 220-240 V~ / 380-415V3N~, 50-60 Hz 6750-6840 W	POWER SUPPLY 220-240 V~ / 380-415V3N~, 50-60 Hz 6800-7200 W
WATER SUPPLY Water mains connection	WATER SUPPLY Water mains connection	WATER SUPPLY Water mains connection
NOISE LEVEL DURING USE < 70 dB	NOISE LEVEL DURING USE < 70 dB	NOISE LEVEL DURING USE < 70 dB

Standard Equipment

2 cool touch steam wands with C-lever
1 water wand
LED lights (work area, rear panel)
RGB lights (group covers)
Cup warmer with temperature sensor
Rubber grids for cup warmer tray
Adjustable feet

1 portafilter for 2 cups per group
1 portafilter for 1 cup
8.5 g and 16 g filter baskets
1 rubber backflush disk per group
Brush for cleaning

Materials

Die-cast aluminium
Shock-proof tempered glass
Die-cast metal alloy

Colors

	FROZEN BRONZE	standard
	GLOSSY BLACK	€ 632,00
	PEARL WHITE	€ 632,00

Tall Version



Max Cup height 14.5 cm / 5.7in



Classe 11 USB Xcelsius 3GR

Classe 11 USB Xcelsius 2GR

€ 13.726,00

Classe 11 USB Xcelsius 3GR

€ 16.392,00

Classe 11 USB Xcelsius 4GR

€ 19.058,00



Classe 11 USB Xcelsius TALL 3GR

Classe 11 USB Xcelsius TALL 2GR

€ 14.080,00

Classe 11 USB Xcelsius TALL 3GR

€ 16.830,00

Classe 11 USB Xcelsius TALL 4GR

€ 19.585,00

Features / Standard

	TOUCHSCREEN INTERFACE	
	DIGITAL DISPLAY	per group
	XCELSIUS TEMPERATURE PROFILING	
	MULTI-BOILER SYSTEM	
	X-TEA	8 levels / 3 dosages
	COOL TOUCH STEAM WAND	
	C-LEVER	
	CUP WARMER	with temperature sensor
	ERGONOMIC PORTAFILTER	plastic handle
	LED LIGHTS	work area, rear panel
	RGB LIGHTS	group covers
	ABM	
	INSULATED BOILER	
	ECO MODE	
	AUTO ON-OFF	
	EASY CLEAN	
	GRID SYSTEM	
	SNAP & SHARE	

Features / Optionals

	ISTEAM	€ 597,00
	PODS & CAPS	according to available systems
	CONNECT	info upon request

Classe 11 USB / USB TALL

Automatic | Single Boiler

Classe 11 USB / Classe 11 USB TALL



Technical Specifications

2 GROUPS / 2 GROUPS TALL	3 GROUPS / 3 GROUPS TALL	4 GROUPS / 4 GROUPS TALL
W X D X H 800 x 600 x 540 mm 31.5 x 23.6 x 21.2 in	W X D X H 1040 x 600 x 540 mm 40.9 x 23.6 x 21.2 in	W X D X H 1280 x 600 x 540 mm 50.4 x 23.6 x 21.2 in
WEIGHT 85 kg / 187.4 lb	WEIGHT 100 kg / 220.5 lb	WEIGHT 115 kg / 253.5 lb
BOILER 11 l / 2.4 gal UK / 2.9 gal US	BOILER 16 l / 3.5 gal UK / 4.2 gal US	BOILER 22 l / 4.8 gal UK / 5.8 gal US
POWER SUPPLY 220-240 V~ / 380-415V3N~, 50-60 Hz 4950-6650 W	POWER SUPPLY 220-240 V~ / 380-415V3N~, 50-60 Hz 6750-6840 W	POWER SUPPLY 220-240 V~ / 380-415V3N~, 50-60 Hz 6800-7200 W
WATER SUPPLY Water mains connection	WATER SUPPLY Water mains connection	WATER SUPPLY Water mains connection
NOISE LEVEL DURING USE < 70 dB	NOISE LEVEL DURING USE < 70 dB	NOISE LEVEL DURING USE < 70 dB

Standard Equipment

2 cool touch steam wands with C-lever
1 water wand
LED lights (work area, rear panel)
RGB lights (group covers)
Cup warmer with temperature sensor
Rubber grids for cup warmer tray
Adjustable feet

1 portafilter for 2 cups per group
1 portafilter for 1 cup
8.5 g and 16 g filter baskets
1 rubber backflush disk per group
Brush for cleaning

Materials

Die-cast aluminium
Shock-proof tempered glass
Die-cast metal alloy

Colors

	FROZEN BRONZE	standard
	GLOSSY BLACK	€ 632,00
	PEARL WHITE	€ 632,00

Tall Version



Max Cup height 14.5 cm / 5.7in



Classe 11 USB 3GR

Classe 11 USB 2GR
€ 12.004,00

Classe 11 USB 3GR
€ 14.670,00

Classe 11 USB 4GR
€ 17.337,00



Classe 11 USB TALL 3GR

Classe 11 USB TALL 2GR
€ 12.359,00

Classe 11 USB TALL 3GR
€ 15.109,00

Classe 11 USB TALL 4GR
€ 17.864,00

Features / Standard

	TOUCHSCREEN INTERFACE	
	STEADY BREW	
	X-TEA	8 levels / 3 dosages
	COOL TOUCH STEAM WAND	
	C-LEVER	
	CUP WARMER	with temperature sensor
	ERGONOMIC PORTAFILTER	plastic handle
	LED LIGHTS	work area, rear panel
	RGB LIGHTS	group covers
	ABM	
	INSULATED BOILER	
	ECO MODE	
	AUTO ON-OFF	
	EASY CLEAN	
	GRID SYSTEM	
	SNAP & SHARE	

Features / Optionals

	T-SWITCH	€ 111,00/€ 167,00/€ 218,00 2GR / 3GR / 4GR
	ISTEAM	€ 597,00
	PODS & CAPS	according to available systems
	CONNECT	info upon request

Classe 20 ASB / ASB TALL

Automatic | Multi-Boiler

Classe 20 ASB / Classe 20 ASB TALL



Technical Specifications

2 GROUPS / 2 GROUPS TALL	3 GROUPS / 3 GROUPS TALL
W X D X H 775 x 568 x 550 mm 30.5 x 22.4 x 21.6 in	W X D X H 1015 x 568 x 550 mm 39.9 x 22.4 x 21.6 in
WEIGHT 74 kg / 163.1 lb	WEIGHT 85 kg / 187.4 lb
BOILER 11 l / 2.4 gal UK / 2.9 gal US	BOILER 16 l / 3.5 gal UK / 4.2 gal US
MICRO-BOILER 2x 150 ml (250 W)	MICRO-BOILER 3x 150 ml (250 W)
POWER SUPPLY 220-240V~ / 380-415V3N~, 50-60 Hz 5210-5350 W 220-240V~, 60 Hz 5210-5350 W	POWER SUPPLY 220-240V~ / 380-415V3N~, 50-60 Hz 6560-6730 W 220-240V~, 60 Hz 6560-6730 W
WATER SUPPLY Water mains connection	WATER SUPPLY Water mains connection
NOISE LEVEL DURING USE < 70 dB	NOISE LEVEL DURING USE < 70 dB

Standard Equipment

2 cool touch steam wands with C-lever
1 water wand
LED lights (work area)
RGB lights (group covers, control panel, side panels)
Cup warmer with temperature sensor
Rubber grids for cup warmer tray
Adjustable feet

1 portafilter for 2 cups per group
1 portafilter for 1 cup
8.5 g and 16 g filter baskets
1 rubber backflush disk per group
Brush for cleaning

Materials

Stainless steel
Aluminium
Plastic
Steel

Color

INOX/BLACK

Tall Version



Max Cup height 14.5 cm / 5.7in



Classe 20 ASB 3GR

Classe 20 ASB 2GR
€ 12.331,00

Classe 20 ASB 3GR
€ 15.438,00



Classe 20 ASB TALL 3GR

Classe 20 ASB TALL 2GR
€ 12.727,00

Classe 20 ASB TALL 3GR
€ 15.994,00

Features / Standard

	TOUCHSCREEN INTERFACE	
	DIGITAL DISPLAY	per group
	ADVANCED STEADY BREW	
	MULTI-BOILER SYSTEM	
	X-TEA	8 levels / 2 dosages
	COOL TOUCH STEAM WAND	
	C-LEVER	
	CUP WARMER	with temperature sensor
	ERGONOMIC PORTAFILTER	plastic handle
	LED LIGHTS	work area
	RGB LIGHTS	group covers, control panel, side panels
	ABM	
	INSULATED BOILER	
	AUTO ON-OFF	
	EASY CLEAN	
	GRID SYSTEM	
	ADVANCED DIAGNOSTIC	
	SNAP & SHARE	

Features / Optionals

	ISTEAM PRO*	€ 895,00 / € 1.850,00 single / double
	PODS & CAPS	according to available systems
	CONNECT	info upon request

*Isteam Pro can be installed on the left side, the right side or both sides.

Classe 20 SB / SB TALL

Automatic | Single Boiler

Classe 20 SB / Classe 20 SB TALL



Technical Specifications

2 GROUPS / 2 GROUPS TALL	3 GROUPS / 3 GROUPS TALL
W X D X H 775 x 568 x 550 mm 30.5 x 22.4 x 21.6 in	W X D X H 1015 x 568 x 550 mm 39.9 x 22.4 x 21.6 in
WEIGHT 74 kg / 163.1 lb	WEIGHT 85 kg / 187.4 lb
BOILER 11 l / 2.4 gal UK / 2.9 gal US	BOILER 16 l / 3.5 gal UK / 4.2 gal US
POWER SUPPLY 220-240V~ / 380-415V3N~, 50-60 Hz 4710-4850 W 220-240V~, 60 Hz 4710-4850 W	POWER SUPPLY 220-240V~ / 380-415V3N~, 50-60 Hz 6410-6580 W 220-240V~, 60 Hz 5410-5580 W
WATER SUPPLY Water mains connection	WATER SUPPLY Water mains connection
NOISE LEVEL DURING USE < 70 dB	NOISE LEVEL DURING USE < 70 dB

Standard Equipment

2 steam wands with C-lever
1 water wand
LED lights (control panel, side panels, work area)
RGB lights (group covers)
Rubber grids for cup warmer tray
Adjustable feet

1 portafilter for 2 cups per group
1 portafilter for 1 cup
8.5 g and 16 g filter baskets
1 rubber backflush disk per group
Brush for cleaning

Materials

Stainless steel
Aluminium
Plastic
Steel

Color

INOX/BLACK

Tall Version



Max Cup height 14.5 cm / 5.7in



Classe 20 SB 3GR

Classe 20 SB 2GR
€ 9.785,00

Classe 20 SB 3GR
€ 11.656,00



Classe 20 SB TALL 3GR

Classe 20 SB TALL 2GR
€ 10.168,00

Classe 20 SB TALL 3GR
€ 12.197,00

Features / Standard

	TOUCHSCREEN INTERFACE	
	STEADY BREW	
	X-TEA	8 levels / 2 dosages
	C-LEVER	
	ERGONOMIC PORTAFILTER	plastic handle
	LED LIGHTS	control panel, side panels, work area
	RGB LIGHTS	group covers
	ABM	
	INSULATED BOILER	
	AUTO ON-OFF	
	EASY CLEAN	
	GRID SYSTEM	
	ADVANCED DIAGNOSTIC	
	SNAP & SHARE	

Features / Optionals

	T-SWITCH	€ 111,00 / € 167,00 2GR / 3GR
	COOL TOUCH STEAM WAND	€ 134,00 double
	ISteam Pro*	€ 895,00 / € 1.850,00 single / double
	CUP WARMER	€ 224,00 with temperature sensor
	RGB LIGHTS	€ 918,00 / € 950,00 control and side panels 2GR/3GR
	PODS & CAPS	according to available systems
	CONNECT	info upon request

*ISteam Pro can be installed on the left side, the right side or both sides.

Classe 9 USB / USB TALL

Automatic | Single Boiler

Technical Specifications

2 GROUPS / 2 GROUPS TALL

W X D X H
750 x 540 x 523 mm
29.5 x 21.3 x 20.6 in

WEIGHT
68 kg / 149.9 lb

BOILER
11 l / 2.4 gal UK / 2.9 gal US

POWER SUPPLY
220-240V~ / 380-415V3N~,
50-60 Hz
4740-4750 W
208/220-240V~, 60 Hz
4425/5410-4490/5490 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

3 GROUPS / 3 GROUPS TALL

W X D X H
990 x 540 x 523 mm
39.0 x 21.3 x 20.6 in

WEIGHT
85 kg / 187.4 lb

BOILER
16 l / 3.5 gal UK / 4.2 gal US

POWER SUPPLY
220-240V~ / 380-415V3N~,
50-60 Hz
6470-6640 W
208/220-240V~, 60 Hz
4425/5410-4515/5520 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

4 GROUPS / 4 GROUPS TALL

W X D X H
1230 x 540 x 523 mm
48.3 x 21.3 x 20.6 in

WEIGHT
96 kg / 211.6 lb

BOILER
22 l / 4.8 gal UK / 5.8 gal US

POWER SUPPLY
220-240V~ / 380-415V3N~,
50-60 Hz
6470-6680 W
208/220-240V~, 60 Hz
5300/6500-5500/6720 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

Standard Equipment


2 steam wands with C-lever
1 water wand
LED lights (work area, side panels)
RGB lights (control panel)
Cup warmer with on-off button
Rubber grids for cup warmer tray
Adjustable feet

1 portafilter for 2 cups per group
1 portafilter for 1 cup
8.5 g and 16 g filter baskets
1 rubber backflush disk per group
Brush for cleaning

Materials

Stainless steel
Aluminium

Color

 INOX/BLACK

Tall Version



Max Cup height 14.5 cm / 5.7in

Classe 9 USB / Classe 9 USB TALL



Classe 9 USB 3GR

Classe 9 USB 2GR
€ 8.467,00

Classe 9 USB 3GR
€ 10.382,00

Classe 9 USB 4GR
€ 11.967,00

















Classe 9 USB TALL 3GR

Classe 9 USB TALL 2GR
€ 8.749,00






Classe 9 USB TALL 3GR
€ 10.668,00

Classe 9 USB TALL 4GR
€ 12.286,00

Features / Standard

	DIGITAL DISPLAY	with settings menu
	STEADY BREW	
	X-TEA	8 levels / 2 dosages
	C-LEVER	
	CUP WARMER	with on-off button
	ERGONOMIC PORTAFILTER	plastic handle
	LED LIGHTS	work area, side panels
	RGB LIGHTS	control panel
	ABM	
	INSULATED BOILER	
	AUTO ON-OFF	
	EASY CLEAN	
	GRID SYSTEM	

Features / Optionals

	T-SWITCH	€ 111,00/€ 167,00/€ 218,00 2GR / 3GR / 4GR
	COOL TOUCH STEAM WAND	€ 67,00 / € 134,00 single / double
	ISTEAM	€ 597,00
	PODS & CAPS	according to available systems
	CONNECT	info upon request

Classe 9 S

Semi-Automatic | Single Boiler

Technical Specifications

2 GROUPS

W X D X H
750 x 540 x 523 mm
29.5 x 21.3 x 20.6 in

WEIGHT
68 kg / 149.9 lb

BOILER
11 l / 2.4 gal UK / 2.9 gal US

POWER SUPPLY
220-240V~ / 380-415V3N~,
50-60 Hz
4740-4750 W
208/220-240V~, 60 Hz
4425/5410-4490/5490 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

3 GROUPS

W X D X H
990 x 540 x 523 mm
39.0 x 21.3 x 20.6 in

WEIGHT
85 kg / 187.4 lb

BOILER
16 l / 3.5 gal UK / 4.2 gal US

POWER SUPPLY
220-240V~ / 380-415V3N~,
50-60 Hz
6470-6640 W
208/220-240V~, 60 Hz
4425/5410-4515/5520 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

4 GROUPS

W X D X H
1230 x 540 x 523 mm
48.3 x 21.3 x 20.6 in

WEIGHT
96 kg / 211.6 lb

BOILER
22 l / 4.8 gal UK / 5.8 gal US

POWER SUPPLY
220-240V~ / 380-415V3N~,
50-60 Hz
6470-6680 W
208/220-240V~, 60 Hz
5300/6500-5500/6720 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

Standard Equipment


2 steam wands with C-lever
1 water wand
LED lights (work area, side panels)
Cup warmer with on-off button
Rubber grids for cup warmer tray
Adjustable feet

1 portafilter for 2 cups per group
1 portafilter for 1 cup
8.5 g and 16 g filter baskets
1 rubber backflush disk per group
Brush for cleaning

Materials

Stainless steel
Aluminium

Color

 INOX/BLACK

Classe 9 S












Classe 9 S 3GR

Classe 9 S 2GR
€ 6.448,00

Classe 9 S 3GR
€ 7.607,00

Classe 9 S 4GR
€ 8.947,00

Features / Standard

-  STEADY BREW
-  C-LEVER
-  CUP WARMER with on-off button
-  ERGONOMIC PORTAFILTER plastic handle
-  LED LIGHTS work area, side panels
-  INSULATED BOILER 
-  EASY CLEAN
-  GRID SYSTEM

Features / Optionals

-  T-SWITCH € 111,00/€ 167,00/€ 218,00
2GR / 3GR / 4GR
-  COOL TOUCH STEAM WAND € 67,00 / € 134,00
single / double
-  PODS & CAPS according to available systems

Classe 9 RE

Manual with Lever | Single Boiler

Technical Specifications

2 GROUPS

W X D X H
750 x 540 x 523 mm
29.5 x 21.3 x 20.6 in

WEIGHT
66 kg / 145.5 lb

BOILER
11 l / 2.4 gal UK / 2.9 gal US

POWER SUPPLY
110V~, 60Hz
3200 W
220-240V~ / 380-415V3N~,
50-60Hz
4950 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

3 GROUPS

W X D X H
990 x 540 x 523 mm
39.0 x 21.3 x 20.6 in

WEIGHT
80 kg / 176.4 lb

BOILER
16 l / 3.5 gal UK / 4.2 gal US

POWER SUPPLY
220-240V~ / 380-415V3N~,
50-60Hz
6750 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

Standard Equipment


2 steam wands with C-lever
1 water wand
LED lights (work area, side panels)
Cup warmer with on-off button
Rubber grids for cup warmer tray
Adjustable feet

1 portafilter for 2 cups per group
1 portafilter for 1 cup
8.5 g and 16 g filter baskets
1 rubber backflush disk per group
Brush for cleaning

Materials

Stainless steel
Aluminium

Color

 INOX/BLACK

Classe 9 RE











Classe 9 RE 3GR



Classe 9 RE 2GR
€ 8.176,00

Classe 9 RE 3GR
€ 9.402,00

Features / Standard

	C-LEVER	
	CUP WARMER	with on-off button
	ERGONOMIC PORTAFILTER	plastic handle
	LED LIGHTS	work area, side panels
	INSULATED BOILER	
	GRID SYSTEM	
	GAS HEATING	

Features / Optionals

	COOL TOUCH STEAM WAND	€ 67,00 / € 134,00 single / double
	PODS & CAPS	according to available systems

Classe 7 USB / USB TALL

Automatic | Single Boiler

Technical Specifications

2 GROUPS / 2 GROUPS TALL	3 GROUPS / 3 GROUPS TALL
W X D X H 770 x 540 x 520 mm 30.31 x 21.26 x 20.47 in	W X D X H 1010 x 540 x 520 mm 39.76 x 21.26 x 20.47 in
WEIGHT 74 kg / 163.14 lb	WEIGHT 85 kg / 187.39 lb
BOILER 11 l / 2.4 gal UK / 2.9 gal US	BOILER 16 l / 3.5 gal UK / 4.2 gal US
POWER SUPPLY 208/220-240V~, 60Hz 2900 W 220-240V~ / 380-415V3N~, 50-60Hz 4950 W	POWER SUPPLY 220-240V~ / 380-415V3N~, 50-60Hz 6750 W
WATER SUPPLY Water mains connection	WATER SUPPLY Water mains connection
NOISE LEVEL DURING USE < 70 dB	NOISE LEVEL DURING USE < 70 dB

Standard Equipment




2 steam wands with steam knob
1 water wand
LED lights (work area)
RGB lights (group covers)
Rubber grids for cup warmer tray
Adjustable feet

1 portafilter for 2 cups per group
1 portafilter for 1 cup
8.5 g and 16 g filter baskets
1 rubber backflush disk per group
Brush for cleaning

Materials

Mirror polished stainless steel
ABS and nylon

Colors

-  ANTHRACITE BLACK
-  ICE WHITE
-  STONE GREY

Tall Version



Max Cup height 14.5 cm / 5.7in

Classe 7 USB / Classe 7 USB TALL



Classe 7 USB 2GR

Classe 7 USB 2GR
€ 6.739,00

Classe 7 USB 3GR
€ 8.280,00














Classe 7 USB TALL 2GR









Classe 7 USB TALL 2GR
€ 7.464,00

Classe 7 USB TALL 3GR
€ 8.851,00

Features / Standard

	DIGITAL DISPLAY	with settings menu
	STEADY BREW	
	ERGONOMIC PORTAFILTER	plastic handle
	LED LIGHTS	work area
	RGB LIGHTS	group covers
	BM	electrical control
	INSULATED BOILER	
	AUTO ON-OFF	
	EASY CLEAN	
	GRID SYSTEM	

Features / Optionals

	T-SWITCH	€ 111,00 / € 167,00 2GR / 3GR
	HOT WATER ECONOMIZER	€ 217,00 / € 217,00 2GR / 3GR
	COOL TOUCH STEAM WAND	€ 67,00 / € 134,00 single / double
	C-LEVER	€ 36,00 / € 72,00 single / double
	ISTEAM	€ 597,00 / € 1.366,00 single / double *
	CUP WARMER	€ 224,00 with on-off button
	PODS & CAPS	according to available systems
	CONNECT	info upon request

* The second iSteam (iSteam DI) is regulated by a display located inside the machine.

Classe 7 S

Semi-Automatic | Single Boiler

Technical Specifications

2 GROUPS

W X D X H
770 x 540 x 520 mm
30.31 x 21.26 x 20.47 in

WEIGHT
74 kg / 163.14 lb

BOILER
11 l / 2.4 gal UK / 2.9 gal US

POWER SUPPLY
208/220-240V~, 60Hz
2900 W
220-240V~ / 380-415V3N~,
50-60Hz
4950 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

3 GROUPS

W X D X H
1010 x 540 x 520 mm
39.76 x 21.26 x 20.47 in

WEIGHT
85 kg / 187.39 lb

BOILER
16 l / 3.5 gal UK / 4.2 gal US

POWER SUPPLY
220-240V~ / 380-415V3N~,
50-60Hz
6750 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

Standard Equipment




2 steam wands with steam knob
1 water wand
LED lights (work area)
Rubber grids for cup warmer tray
Adjustable feet

1 portafilter for 2 cups per group
1 portafilter for 1 cup
8.5 g and 16 g filter baskets
1 rubber backflush disk per group
Brush for cleaning

Materials

Mirror polished stainless steel
ABS and nylon

Colors

-  ANTHRACITE BLACK
-  ICE WHITE
-  STONE GREY

Classe 7 S










Classe 7 S 2GR









Classe 7 S 2GR
€ 4.910,00

Classe 7 S 3GR
€ 6.166,00

Features / Standard

-  STEADY BREW
-  ERGONOMIC PORTAFILTER plastic handle
-  LED LIGHTS work area
-  INSULATED BOILER 
-  EASY CLEAN
-  GRID SYSTEM

Features / Optionals

-  T-SWITCH € 111,00 / € 167,00
2GR / 3GR
-  HOT WATER ECONOMIZER € 217,00 / € 217,00
2GR / 3GR
-  COOL TOUCH STEAM WAND € 67,00 / € 134,00
single / double
-  C-LEVER € 36,00 / € 72,00
single / double
-  ISTEAM DI € 769,00
display inside the machine
-  CUP WARMER € 224,00
with on-off button
-  PODS & CAPS according to available systems
-  CONNECT info upon request

Classe 5 USB / USB TALL

Automatic | Single Boiler

Technical Specifications

1 GROUP / 1 GROUP TALL	2 GROUPS / 2 GROUPS TALL	2 GROUPS COMPACT / 2 GROUPS COMPACT TALL	3 GROUPS / 3 GROUPS TALL
W X D X H 410 x 539 x 520 mm 16.14 x 21.22 x 20.47 in	W X D X H 771 x 539 x 520 mm 30.35 x 21.22 x 20.47 in	W X D X H 611 x 539 x 520 mm 24.05 x 21.22 x 20.47 in	W X D X H 1011 x 539 x 520 mm 39.80 x 21.22 x 20.47 in
WEIGHT 37 kg / 81.57 lb	WEIGHT 74 kg / 163.14 lb	WEIGHT 55 kg / 121.25 lb	WEIGHT 85 kg / 187.39 lb
BOILER 4 l / 0.9 gal UK / 1.0 gal US	BOILER 11 l / 2.4 gal UK / 2.9 gal US	BOILER 5 l / 1.1 gal UK / 1.3 gal US	BOILER 16 l / 3.5 gal UK / 4.2 gal US
POWER SUPPLY 120V~, 60Hz 1800 W 220-240V~, 50-60Hz 2050 W	POWER SUPPLY 110V~, 60Hz 2900 W 220-240V~ / 380-415V3N~, 50-60Hz 4750 W	POWER SUPPLY 220-240V~ / 380-415V3N~, 50-60Hz 3550 W 208/220-240V~, 60Hz 2950-3570 W	POWER SUPPLY 220-240V~ / 380-415V3N~, 50-60Hz 6640 W 208/220-240V~, 60Hz 5500-6720 W
WATER SUPPLY Water mains connection	WATER SUPPLY 208/220-240V~, 60Hz 4000-4950 W	WATER SUPPLY Water mains connection	WATER SUPPLY Water mains connection
NOISE LEVEL DURING USE < 70 dB	WATER SUPPLY Water mains connection NOISE LEVEL DURING USE < 70 dB	NOISE LEVEL DURING USE < 70 dB	NOISE LEVEL DURING USE < 70 dB

Standard Equipment




2 steam wands with steam knob (1 for 1GR)
1 water wand
Adjustable feet

1 portafilter for 2 cups per group
1 portafilter for 1 cup
8.5 g and 16 g filter baskets
1 rubber backflush disk per group

Materials

Brushed stainless steel
ABS and nylon

Colors

-  ANTHRACITE BLACK
-  ICE WHITE
-  STONE GREY

Tall Version



Max Cup height 14.5 cm / 5.7in

Classe 5 USB / Classe 5 USB TALL



Classe 5 USB 2GR

Classe 5 USB 1GR
€ 3.418,00

Classe 5 USB 2GR
€ 4.764,00

Classe 5 USB 2GR COMPACT
€ 4.480,00

Classe 5 USB 3GR
€ 6.613,00



Classe 5 USB TALL 2GR





Classe 5 USB TALL 1GR
€ 3.592,00

Classe 5 USB TALL 2GR
€ 5.239,00

Classe 5 USB TALL 2GR COMPACT
€ 4.704,00

Classe 5 USB TALL 3GR
€ 7.276,00

Features / Standard

	STEADY BREW	no 1GR / TALL 1GR
	ERGONOMIC PORTAFILTER	plastic handle
	EASY CLEAN	
	GRID SYSTEM	

Features / Optionals

	C-LEVER	€ 36,00 / € 72,00 single / double (no 1GR)
	ISteam DI	€ 769,00 display inside the machine
	CUP WARMER	€ 224,00 with on-off button, no 1GR / TALL 1GR
	LED LIGHTS	€ 106,00 work area
	PODS & CAPS	according to available systems
	CONNECT	info upon request

Classe 5 ECO USB / USB TALL

Automatic | Single Boiler



Technical Specifications

2 GROUPS COMPACT /
2 GROUPS COMPACT TALL

W X D X H
611 x 539 x 520 mm
24.05 x 21.22 x 20.4 in

WEIGHT
55 kg / 121.25 lb

BOILER
5 l / 1.1 gal UK / 1.3 gal US

POWER SUPPLY
220-240 V, 50-60Hz,
2750-2850 W

WATER SUPPLY
Fixed water connection

NOISE LEVEL DURING USE
< 70 db



Classe 5 ECO USB 2GR COMPACT
€ 4.480,00



Classe 5 ECO USB TALL 2GR COMPACT
€ 4.704,00

Standard Equipment

2 steam wands with steam knob
1 water wand
Adjustable feet

1 portafilter for 2 cups per group
1 portafilter for 1 cup
8.5 g and 16 g filter baskets
1 rubber backflush disk per group

Materials

Brushed stainless steel
ABS and nylon

Colors

- ANTHRACITE BLACK
- ICE WHITE
- STONE GREY

Tall Version



Max Cup height 14.5 cm / 5.7in

Classe 5 ECO S / S TALL

Semi-Automatic | Single Boiler



Technical Specifications

2 GROUPS COMPACT /
2 GROUPS COMPACT TALL

W X D X H
611 x 539 x 520 mm
24.05 x 21.22 x 20.4 in

WEIGHT
55 kg / 121.25 lb

BOILER
5 l / 1.1 gal UK / 1.3 gal US

POWER SUPPLY
220-240 V, 50-60Hz,
2750-2850 W

WATER SUPPLY
Fixed water connection

NOISE LEVEL DURING USE
< 70 db



Classe 5 ECO S 2GR COMPACT
€ 3.548,00



Classe 5 ECO S TALL 2GR COMPACT
€ 3.828,00

Standard Equipment

2 steam wands with steam knob
1 water wand
Adjustable feet

1 portafilter for 2 cups per group
1 portafilter for 1 cup
8.5 g and 16 g filter baskets
1 rubber backflush disk per group

Materials

Brushed stainless steel
ABS and nylon

Colors

- ANTHRACITE BLACK
- ICE WHITE
- STONE GREY

Tall Version



Max Cup height 14.5 cm / 5.7in

Features / Standard

- STEADY BREW
- ERGONOMIC PORTAFILTER plastic handle
- INSULATED BOILER
- EASY CLEAN
- GRID SYSTEM

Features / Optionals

- C-LEVER € 36,00 / € 72,00
single / double
- ISTEAM DI € 769,00
display inside the machine
- CUP WARMER € 224,00
with on-off button
- LED LIGHTS € 106,00
work area
- PODS & CAPS according to available systems
- CONNECT info upon request

Features / Standard

- STEADY BREW
- ERGONOMIC PORTAFILTER plastic handle
- INSULATED BOILER
- GRID SYSTEM

Features / Optionals

- C-LEVER € 36,00 / € 72,00
single / double
- ISTEAM DI € 769,00
display inside the machine
- CUP WARMER € 224,00
with on-off button
- LED LIGHTS € 106,00
work area
- PODS & CAPS according to available systems

Classe 5 S / S TALL

Semi-Automatic | Single Boiler

Classe 5 S / Classe 5 S TALL



Technical Specifications

1 GROUP / 1 GROUP TANK 1 GROUP TALL

W X D X H
410 x 539 x 520 mm
16.14 x 21.22 x 20.47 in

WEIGHT
37 kg / 81.57 lb

BOILER
4 l / 0.9 gal UK / 1.0 gal US

POWER SUPPLY
120V~, 60Hz
1800 W (1680 W TANK)
220-240V~, 50/60Hz
2050 W (1800 W TANK)

WATER SUPPLY
- Water mains connection
- Built-in 2-liter water tank
(1GR TANK only)

NOISE LEVEL DURING USE
< 70 dB

2 GROUPS / 2 GROUPS TALL

W X D X H
771 x 539 x 520 mm
30.35 x 21.22 x 20.47 in

WEIGHT
74 kg / 163.14 lb

BOILER
11 l / 2.4 gal UK / 2.9 gal US

POWER SUPPLY
110V~, 60Hz
2900 W
220-240V~ / 380-415V3N~,
50-60Hz
4750 W

WATER SUPPLY
208/220-240V~, 60Hz
4000-4950 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

2 GROUPS COMPACT / 2 GROUPS COMPACT TALL

W X D X H
611 x 539 x 520 mm
24.05 x 21.22 x 20.47 in

WEIGHT
55 kg / 121.25 lb

BOILER
5 l / 1.1 gal UK / 1.3 gal US

POWER SUPPLY
220-240V~ / 380-415V3N~,
50-60Hz
3550 W
208/220-240V~, 60Hz
2950-3570 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

3 GROUPS / 3 GROUPS TALL

W X D X H
1011 x 539 x 520 mm
39.80 x 21.22 x 20.47 in

WEIGHT
85 kg / 187.4 lb

BOILER
16 l / 3.5 gal UK / 4.2 gal US

POWER SUPPLY
220-240V~ / 380-415V3N~,
50-60Hz
6640 W
208/220-240V~, 60Hz
5500-6720 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB



Classe 5 S 2GR

Classe 5 S 1GR / 1GR TANK
€ 2.785,00 / € 2.393,00

Classe 5 S 2GR
€ 3.729,00

Classe 5 S 2GR COMPACT
€ 3.548,00

Classe 5 S 3GR
€ 4.929,00



Classe 5 S TALL 2GR

Classe 5 S TALL 1GR / TALL 1GR TANK
€ 3.003,00 / € 2.611,00

Classe 5 S TALL 2GR
€ 4.270,00

Classe 5 S TALL 2GR COMPACT
€ 3.829,00

Classe 5 S TALL 3GR
€ 5.676,00

Features / Standard

	STEADY BREW	no 1GR / 1GR TANK / TALL 1GR
	ERGONOMIC PORTAFILTER	plastic handle
	GRID SYSTEM	

Features / Optionals

	C-LEVER	€ 36,00 / € 72,00 single / double (no 1GR)
	ISteam DI	€ 769,00 display inside the machine no 1GR TANK
	CUP WARMER	€ 224,00 with on-off button, no 1GR / 1GR TANK / TALL 1 GR / TALL 1GR TANK
	LED LIGHTS	€ 106,00 work area
	GAS HEATING	€ 257,00 no 1GR / 2GR COMPACT / TALL
	PODS & CAPS	according to available systems

Standard Equipment

2 steam wands with steam knob (1 for 1GR, 1 GR TANK)
1 water wand
Adjustable feet

1 portafilter for 2 cups per group
1 portafilter for 1 cup
8.5 g and 16 g filter baskets
1 rubber backflush disk per group
Brush for cleaning

Materials

Brushed stainless steel
ABS and nylon

Colors

- ANTHRACITE BLACK
- ICE WHITE
- STONE GREY

Tall Version



Max Cup height 14.5 cm / 5.7in

Classe 5 LEVA

Manual with Lever | Single Boiler

Technical Specifications

2 GROUPS

W X D X H
770 x 540 x 809 mm
30.31 x 21.26 x 31.85 in

WEIGHT
71 kg / 156.53 lb

BOILER
11 l / 2.4 gal UK / 2.9 gal US

POWER SUPPLY
220-240V~ / 380-415V3N~,
50-60Hz
4650 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

3 GROUPS

W X D X H
1010 x 540 x 809 mm
39.76 x 21.26 x 31.85 in

WEIGHT
89 kg / 195.99 lb

BOILER
16 l / 3.5 gal UK / 4.2 gal US

POWER SUPPLY
220-240V~ / 380-415V3N~,
50-60Hz
6420 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

4 GROUPS

W X D X H
1250 x 540 x 809 mm
49.21 x 21.26 x 31.85 in

WEIGHT
107 kg / 235.89 lb

BOILER
22 l / 4.8 gal UK / 5.8 gal US

POWER SUPPLY
220-240V~ / 380-415V3N~,
50-60Hz
6490 W

WATER SUPPLY
Water mains connection

NOISE LEVEL DURING USE
< 70 dB

Standard Equipment




2 steam wands with steam knob
1 water wand
Adjustable feet

1 portafilter for 2 cups per group
1 portafilter for 1 cup
8.5 g and 16 g filter baskets
Brush for cleaning

Materials

Brushed stainless steel
ABS and nylon

Colors

-  ANTHRACITE BLACK
-  ICE WHITE
-  STONE GREY

Classe 5 LEVA





Classe 5 LEVA 3GR

Classe 5 LEVA 2GR
€ 5.220,00

Classe 5 LEVA 3GR
€ 6.527,00

Classe 5 LEVA 4GR
€ 8.013,00

Features / Standard

-  ERGONOMIC PORTAFILTER plastic handle
-  GRID SYSTEM

Features / Optionals

-  C-LEVER € 36,00 / € 72,00
single / double
-  CUP WARMER € 186,00
with on-off button
-  GAS HEATING € 257,00

Technical Specifications

BOND ON DEMAND VERSION WITH BUILT-IN DYNAMOMETRIC TAMPER

W X D X H
310 x 378 x 728 mm
12.20 x 14.88 x 28.66 in

WEIGHT
24 kg / 53 lb

AVERAGE OUTPUT (ESPRESSO)
4 g/s

BURRS
Flat 83 mm (steel)

BURRS LIFE (MEDIAN SETTINGS)
1500 kg

COFFEE BEAN HOPPER CAPACITY
1.5 kg / 3.30 lb

POWER SUPPLY
110-120 V~, 60 Hz
410W
220-240 V~, 50-60 Hz
650W

NOISE LEVEL DURING USE
< 78 dB

BOND ON DEMAND VERSION*

W X D X H
255 x 310 x 700 mm
10.04 x 12.20 x 27.56 in

WEIGHT
20 kg / 44.09 lb

AVERAGE OUTPUT (ESPRESSO)
4 g/s

BURRS
Flat 83 mm (steel)

BURRS LIFE (MEDIAN SETTINGS)
1500 kg

COFFEE BEAN HOPPER CAPACITY
1.5 kg / 3.30 lb

POWER SUPPLY
110-120 V~, 60 Hz
410W
220-240 V~, 50-60 Hz
650W

NOISE LEVEL DURING USE
< 78 dB

* always to be used in combination with a dynamometric tamper to guarantee constant pressing for each dose (single or double).



BOND
on-demand version with built-in dynamometric tamper
€ 5.088,00



BOND
on-demand version
€ 4.713,00

Standard Equipment

Built-in load cell
RS485 grinder-machine connection cable

Compatibility

Bond is compatible with Classe 7 (USB only), Classe 9 (USB only), Classe 11, Classe 20, RS1, Invicta.

Color

● BLACK

Optionals

CONVERTER
spare parts catalogue
code 340500002

RETROFIT KIT (CONVERTER + CABLE)
spare parts catalogue
code 101000000

MD 80 AT / 40 ST

Technical Specifications

MD 80 AT AUTOMATIC VERSION WITH VOLUMETRIC DISPENSER AND MANUAL LEVER

W X D X H
200 x 390 x 610 mm
7.9 x 15.3 x 24.0 in

WEIGHT
18 kg / 39.7 lb

AVERAGE OUTPUT
3.3-3.9 g/s (espresso)

BURRS
Flat 75 mm (steel)

COFFEE BEAN HOPPER CAPACITY
1.3 kg / 2.9 lb

POWER SUPPLY
110 V~, 50-60 Hz
890 W
230 V~, 50-60 Hz
890 W

NOISE LEVEL DURING USE
< 70 dB

MD 40 ST SEMI-AUTOMATIC VERSION WITH VOLUMETRIC DISPENSER AND MANUAL LEVER

W X D X H
140 x 335 x 440 mm
5.5 x 13.2 x 17.3 in

WEIGHT
9 kg / 19.8 lb

AVERAGE OUTPUT
0.69-0.97 g/s (espresso)

BURRS
Flat 50 mm (steel)

COFFEE BEAN HOPPER CAPACITY
0.5 kg / 1.1 lb

POWER SUPPLY
110 V~, 50-60 Hz
140 W
230 V~, 50-60 Hz
140 W

NOISE LEVEL DURING USE
< 70 dB



MD 80 AT
€ 1.316,00



MD 40 ST
€ 676,00

Color

● INOX

Kryo ELITE 65 OD / EVO 65 OD



Technical Specifications

KRYO ELITE 65 OD ON DEMAND VERSION	KRYO EVO 65 OD ON DEMAND VERSION
W X D X H 222 x 356 x 579 mm 8.74 x 14.01 x 22.79 in	W X D X H 220 x 356 x 575 mm 8.66 x 14.01 x 22.64 in
WEIGHT 14 kg / 30.86 lb	WEIGHT 11.5 kg / 25.35 lb
AVERAGE OUTPUT (ESPRESSO) 4 g/s	AVERAGE OUTPUT (ESPRESSO) 3.5 g/s
BURRS Flat 64 mm (steel)	BURRS Flat 64 mm (steel)
COFFEE BEAN HOPPER CAPACITY 1.3 kg / 2.87 lb	COFFEE BEAN HOPPER CAPACITY 1.3 kg / 2.86 lb
POWER SUPPLY 110 V~, 60 Hz 450W 220-240 V~, 50-60 Hz 450W	POWER SUPPLY 110 V~, 60 Hz 450W 220-240 V~, 50-60 Hz 450W
NOISE LEVEL DURING USE < 70 dB	NOISE LEVEL DURING USE < 70 dB



Kryo ELITE 65 OD
€ 1.975,00



Kryo EVO 65 OD
€ 1.348,00

Features - Standard (ELITE)



SAS (SMART ADJUSTING SYSTEM) Based on the parameters set by the technician during installation, Kryo ELITE 65 OD automatically regulates the grinding time whenever the grain size is changed, thus always guaranteeing the same dose.

Colors

- BLACK
- WHITE

Optionals

BUILT-IN TAMPER FOR KRYO EVO 65 OD (KIT)	€ 97,00
ADAPTER KIT COFFEE TIN	spare parts catalogue

Kryo 65 AT / 65 ST



Technical Specifications

KRYO 65 AT AUTOMATIC VERSION WITH VOLUMETRIC DISPENSER AND MANUAL LEVER	KRYO 65 ST SEMI-AUTOMATIC VERSION WITH VOLUMETRIC DISPENSER AND MANUAL LEVER
W X D X H 220 x 385 x 575 mm 8.66 x 15.16 x 22.64 in	W X D X H 220 x 385 x 575 mm 8.7 x 15.1 x 22.6 in
WEIGHT 13 kg / 28.66 lb	WEIGHT 13 kg / 28.66 lb
AVERAGE OUTPUT (ESPRESSO) 1.9-2.5 g/s	AVERAGE OUTPUT (ESPRESSO) 1.9-2.5 g/s
BURRS Flat 64 mm (steel)	BURRS Flat 64 mm (steel)
COFFEE BEAN HOPPER CAPACITY 1.3 kg / 2.86 lb	COFFEE BEAN HOPPER CAPACITY 1.3 kg / 2.86 lb
POWER SUPPLY 110 V~, 60 Hz 450W 220-240 V~, 50-60 Hz 450W	POWER SUPPLY 110 V~, 60 Hz 450W 220-240 V~, 50-60 Hz 450W
NOISE LEVEL DURING USE < 70 dB	NOISE LEVEL DURING USE < 70 dB



Kryo 65 AT
€ 1.091,00

Kryo 65 ST
€ 949,00

Colors

- BLACK
- WHITE

Optionals

ADAPTER KIT COFFEE TIN	spare parts catalogue
------------------------	-----------------------

Silvia Pro X

Semi-Automatic | Dual Boiler

Technical Specifications

1 GROUP

W X D X H

250 x 420 x 390 mm / 9.8 x 16.5 x 15.3 in

WEIGHT

20 kg / 44.1 lb

STEAM BOILER

1 l / 0.22 gal UK

COFFEE BOILER

0.3 l / 0.07 gal UK

POWER SUPPLY

120 V~, 60 Hz, 950-1000 W (120 V)

220-240 V~, 50-60 Hz, 1100 W (230 V)

WATER SUPPLY

Built-in 2-liter water tank

NOISE LEVEL DURING USE

< 70 dB

Standard Equipment

1 steam wand with steam knob

1 water wand

Water tank

Pressure gauge

Adjustable feet

1 portafilter for 2 cups

8.5 g and 18 g filter baskets

Black wood Tamper with stainless steel base (Ø 58 mm)

Brush for cleaning

Scale protection pad BESTASAVE M (100 l - 10 °KH / 50 days)

Coffee measuring plastic spoon

1 rubber backflush disk

Cleaning tablets

Materials

Satin-finished stainless steel

Colors

● INOX

● BLACK

○ WHITE

● PINK

Silvia Pro X




Silvia Pro X

€ 2.152,00


Features / Standard

 DIGITAL DISPLAY with settings menu

 DUAL BOILER TECHNOLOGY

 2 PID

 SOFT INFUSION

 ERGONOMIC PORTAFILTER NBR handle

 POWER-ON TIMER

Accessories



BESTASAVE M (10 PADS) € 113,00

BESTASAVE L (10 PADS) € 145,00

Features / Optionals

 PODS & CAPS according to available systems

 PORTAFILTER WITH WOODEN HANDLE € 83,00

Technical Specifications

1 GROUP

W X D X H

235 x 290 x 340 mm
9.2 x 11.4 x 13.4 in

WEIGHT

14 kg / 30.9 lb

BOILER

0.3 l / 0.07 gal UK

POWER SUPPLY

120 V~, 60 Hz
950-1000 W (120 V)
220-240 V~, 50-60 Hz
1150 W (230 V)

WATER SUPPLY

Built-in 2-liter water tank

NOISE LEVEL DURING USE

< 70 dB

Standard Equipment





1 steam wand with steam knob
Water tank
Adjustable feet

1 portafilter for 2 cups
8.5 g and 16 g filter baskets
Black wood Tamper with stainless steel base (Ø 58 mm)
Coffee measuring plastic spoon
1 rubber backflush disk

Materials

Satin-finished stainless steel


Colors

-  INOX
-  BLACK
-  WHITE
-  SAGE GREEN





Silvia	Silvia	Silvia	Silvia
Inox	Black	White	Sage Green
€ 999,00	€ 1.078,00	€ 1.078,00	€ 1.078,00

Features / Standard

	ERGONOMIC PORTAFILTER	plastic handle
---	-----------------------	----------------

Features / Optionals

	PODS & CAPS	according to available systems
	PORTAFILTER WITH WOODEN HANDLE	spare parts catalogue

Accessories



BESTSAVE M (10 PADS)	€ 113,00
BESTSAVE L (10 PADS)	€ 145,00

Technical Specifications

STILE
ON DEMAND VERSION
WITH TOUCHSCREEN

W X D X H
132 x 185 x 315 mm
5.2 x 7.28 x 12.4 in

WEIGHT
5.5 kg / 12.12 lb

AVERAGE OUTPUT
1.5 g/s (espresso)

BURRS
Flat 58 mm (steel)

COFFEE BEAN HOPPER
CAPACITY
300 g / 0.66 lb
510 g / 1.12 lb

POWER SUPPLY
110-120 V~, 60 Hz
249 W
220-240 V~, 50-60 Hz
190 W

NOISE LEVEL DURING USE
< 70 dB

Colors

- BLACK
- WHITE

Technical Specifications

STILE SD
SEMI-AUTOMATIC
VERSION*

W X D X H
132 x 185 x 315 mm
5.2 x 7.28 x 12.4 in

WEIGHT
5.5 kg / 12.12 lb

AVERAGE OUTPUT
1.5 g/s (espresso)

BURRS
Flat 58 mm (steel)

COFFEE BEAN HOPPER
CAPACITY
300 g / 0.66 lb
510 g / 1.12 lb

POWER SUPPLY
110-120 V~, 60 Hz
249 W
220-240 V~, 50-60 Hz
190 W

NOISE LEVEL DURING USE
< 70 dB

Colors

- BLACK
- WHITE

* A writing board is installed on the front panel of Stile SD instead of the display. The erasable liquid chalk pen for use on the writing board is included with Stile SD.



Stile
300 g coffee bean hopper
€ 697,00



Stile
510 g coffee bean hopper
€ 738,00



Stile SD
300 g coffee bean hopper
€ 593,00



Stile SD
510 g coffee bean hopper
€ 634,00

Technical Specification

Filter cartridges

DP 2 MANUAL
Manual water softener

W X D X H
185 x 185 x 450 mm
7.3 x 7.3 x 17.7 in

RESIN QUANTITY
8 l / 1.76 gal UK

GAS CONNECTION
3/8"

VERSION
manual for 1-2 GR

DP 4 MANUAL
Manual water softener

W X D X H
185 x 185 x 620 mm
7.3 x 7.3 x 24.4 in

RESIN QUANTITY
11 l / 2.42 gal UK

GAS CONNECTION
3/8"

VERSION
manual for 3-4 GR

BESTMAX SMART 35
Limescale protection
all-rounders

CAPACITY
7800 l - 10 °dKH

INLET PRESSURE
2-8 bar (min-max)

WATER TEMPERATURE
4-30 °C (min-max)

TOTAL HEIGHT WITH
BRACKET
527 mm

INSTALLATION LENGTH
125 mm

Ø FILTER CARTRIDGE
147 mm

BESTMAX PREMIUM XL
Protection against limescale
and gypsum with BWT Magne-
sium Technology

CAPACITY
4300 l - 10 °TH

INLET PRESSURE
2-8 bar (min-max)

WATER TEMPERATURE
4-30 °C (min-max)

TOTAL HEIGHT WITH
BRACKET
527 mm

INSTALLATION LENGTH
125 mm

Ø FILTER CARTRIDGE
147 mm

BESTPROTECT XL
Limescale and gypsum
protection

CAPACITY
3950 l - 10 °TH

CONNECTION THREAD
3/8" (in/out)

INLET PRESSURE
2-8 bar (min-max)

WATER TEMPERATURE
4-30 °C (min-max)

TOTAL HEIGHT WITH
BRACKET
527 mm

INSTALLATION LENGTH
125 mm

Ø FILTER CARTRIDGE
147 mm

Filter heads

BESTHEAD FLEX
with 2 connection pieces, 90°
elbow, FLEX insert, 3/8" AG

INLET PRESSURE
2-8 bar (min-max)

WATER TEMPERATURE
4-30 °C (min-max)

Tank solutions

BESTSAVE M
Scale protection pad

W X D X H
126 x 82 x 20 mm

CAPACITY
100 l - 10 °KH / 50 days
(2-litre tank)

BESTSAVE L
Scale protection pad

W X D X H
150 x 82 x 24 mm

CAPACITY
200 l - 10 °KH / 100 days
(2-litre tank)



DP 2 MANUAL / DP 4 MANUAL

DP 2 MANUAL € 183,00

DP 4 MANUAL € 199,00



BESTMAX SMART 35



BESTHEAD FLEX

DP SMART 35 € 311,00

Kit includes: BESTMAX SMART 35 filter cartridge + BESTHEAD FLEX filter head



BESTMAX PREMIUM XL



BESTHEAD FLEX

DP PREMIUM XL € 349,00

Kit includes: BESTMAX PREMIUM XL filter cartridge + BESTHEAD FLEX filter head



BESTPROTECT XL



BESTHEAD FLEX

DP BESTPROTECT XL € 287,00

Kit includes: BESTPROTECT XL filter cartridge + BESTHEAD FLEX filter head



BESTSAVE M / L

BESTSAVE M (10 PADS) € 113,00

BESTSAVE L (10 PADS) € 145,00

Accessories



TAMPER WITH WOOD HANDLE AND STAINLESS STEEL BASE (Ø 58 MM) WITH THE RANCILIO LOGO	spare parts catalogue ID nr. 69000449
COFFEE CLEANING TABLETS (100 TAB)	spare parts catalogue ID nr. 69000408
CLEANER FOR COFFEE GRINDER (430 G)	spare parts catalogue ID nr. 69000385
CLEANER ACID FORMULA SYSTEM MILK (1 L)	spare parts catalogue ID nr. 69000400

General conditions of sale



Entry in effect. This price list will take effect as of 01/01/2025. It does not represent a tender and all products and prices are subject to change at any time without notice.

Prices. The prices are expressed in Euros; prices to the public are quoted net of VAT for goods packaged ex-works, installation excluded.

Terms of delivery. The delivery is to be considered in Rancilio factory. The buyer bears all transport risks, however the goods are shipped, and thus the manufacturer will not be liable for damage or losses occurring during transport.

Warranty. The manufacturer provides a warranty for manufacturing faults for the merchandise for 12 months from the date of installation. The warranty does not cover damages caused by incorrect installation or maintenance. Rancilio Group spa con socio unico shall not be held liable for any damages caused by improper, erroneous or unreasonable use of its products. The warranty shall only be valid for the original purchaser and it shall only cover parts; it does not cover the labor. Any return of the equipment must be authorized in writing by Rancilio Group spa con socio unico. The validity of the warranty is subordinated to the full respect of the purchase price payment deadlines; in absence of such respect the warranty will be granted at the sole discretion of the company.

Disputes. Any disputes shall be settled by the Court of Milan, Italy.

Certifications

The numerous quality and conformity certifications obtained by Rancilio Group products are a guarantee of quality and offer our customers all over the world the security of having chosen a partner of excellence.

For info on available Products' Certifications please visit:
www.ranciliogroup.com/certifications/

An additional charge of 5% of the price will be applied for ETL certification

 **RANCILIO** GROUP

ranciliogroup.com



an Ali Group company



The Spirit of Excellence